

SIEMENS**FACSIMILE COVER SHEET**In the UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor: Thuy-Phuong Le

Application No.: 10/533,083

Attorney Docket No. 2002P03505WOUS

Filed: April 28, 2005

Title: METHOD AND APPARATUS FOR INTERCHANGING DATA
USING A TUNNEL CONNECTION

Examiner: Not Yet Assigned

Art Unit: Not Yet Assigned

► FACSIMILE ATTN TO: CYNTHIA M. KRATZ
PCT Legal OfficeFAX NO.: 571-277-0459³**RESPONSE TO OFFICE COMMUNICATION****Certificate of Transmission under 37 CFR 1.8**I hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office on
March 17, 2006.

Ann Hickey

Typed or printed name of person signing Certificate

RECEIVED
17 MAR 2006
Legal Staff
International Division

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

- This facsimile cover sheet which includes a Certificate of Transmission under 37 CFR 1.8 (1 pg)
- Copy of Office Communication bearing "date mailed" of March 1, 2006 (2 pgs);
- Response to Office Communication (2 pgs.)

Number of pages being transmitted (including this cover sheet): 5 pgs

The information contained in this facsimile message may contain attorney privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone, and return the original message to us. Thank you.

Siemens CorporationLegal and Intellectual Property
Department4400 Alafaya Trail
Orlando Florida 32826Tel: 407-736-2472
FAX: 407-736-6440**BEST AVAILABLE COPY**


01 MAR 2006



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

SIEMENS CORPORATION
INTELLECTUAL PROPERTY DEPARTMENT
170 WOOD AVENUE SOUTH
ISELIN NJ 08830



36
3
In re Application of
THUY-PHUONG LE et al.
Application No.: 10/533,083
PCT No.: PCT/DE03/03029
Int. Filing: 12 September 2003
Priority Date: 28 October 2002
Attorney Docket No.: 2002PO3505WOUS
For: METHOD AND APPARATUS FOR
EXCHANGING DATA USING A TUNNEL
CONNECTION

COMMUNICATION

This application is before the PCT Legal Office for consideration of matters arising under 35 U.S.C. 371. This is also responsive to applicant's communication filed via facsimile on 30 November 2005 in the United States Patent and Trademark Office (USPTO) in the above-captioned application.

On 30 September 2005, a Notification of Missing Requirements (FORM PCT/DO/EO/905) was mailed to applicant indicating that the declaration submitted on 28 April 2005 with the request for entry into the national stage, listed the inventor as Thuy-Phuong Le, rather than Le Thuy-Phuong as listed on the published international application. An explanation was required as to how the error in the inventor's name occurred, e.g. is this a correction of a transliteration or typographical error. The declaration as filed is not in compliance with 37 CFR 1.66 or 1.68 as it identifies a legal entity not identified on the international application and is unacceptable as filed.¹

On 30 November 2005, a reply to the Notification of Missing Requirements was filed via facsimile. Unfortunately, the 30 November 2005 submission was not signed by the attorney of record in the above referenced application. 37 CFR 10.18(a) emphasizes that every paper filed by a practitioner must be personally signed by the practitioner and states, in pertinent part, :

For all documents filed in the Office in patent, trademark, and other non-patent matters, except for correspondence that is required to be signed by the applicant or party, each piece of correspondence filed by a practitioner in the Patent and Trademark Office must bear a signature, personally signed by such practitioner, in compliance with § 1.4(d)(1) of this chapter.

¹Section 201.03 of the Manual of Patent Examining Procedure states where a typographical or transliteration error in the spelling of an inventor's name is discovered, the Office should simply be notified of the error to correct the name of the inventor.

BEST AVAILABLE COPY

Application No.: 10/533,083


2

(Emphasis added.)

In the instant case, the submission on 30 November 2005 was not personally signed by the practitioner and thus is not an acceptable filing.

CONCLUSION

This application is being held in the PCT Legal Office to await applicant's further reply. The time period set forth in the Form 905 remains in effect.



Cynthia M. Kratz
Attorney Advisor
PCT Legal Office

Telephone: (571) 272-3286
Facsimile: (571) 272-0459

SIEMENS

PATENT

Attorney Docket No. 2002P03505WOUS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Inventor: Thuy-Phuong Le et al.)
Serial No.: 10/533,083) Group Art Unit: Not Yet Assigned
Filed: April 28, 2005) Examiner: Not Yet Assigned
Title: METHOD AND APPARATUS FOR INTERCHANGING DATA
USING A TUNNEL CONNECTION

Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO OFFICE COMMUNICATION

In response to the Notification of Missing Requirements mailed September 30, 2005 and the Office Communication mailed March 1, 2006, Applicants respectfully submit the following:

- (1) Inventor Thuy-Phuong Le's name, as it appears on (and as she signed) the Declaration submitted with the application on April 28, 2005 is correct.
- (2) Inventor Thuy-Phuong Le's name, as it appears on the cover sheet of PCT application PCT/DE03/03029, is inverted (due to a comma indicating last name before first) causing it to be incorrect.

BEST AVAILABLE COPY

Serial No. 10/533,083**Atty. Doc. No. 2002P03505WOUS****Conclusion**

The commissioner is hereby authorized to charge any appropriate fees due in connection with this paper or credit any overpayments to Deposit Account No. 19-2179.

Respectfully submitted,

Dated: 3/17/06

By: *John P. Musone*

John P. Musone
Registration No. 44,961
(407) 736-6449

Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, New Jersey 08830

*** RX REPORT ***

RECEPTION OK

TX/RX NO	5350
RECIPIENT ADDRESS	4077366440
DESTINATION ID	
ST. TIME	03/17 16:47
TIME USE	01'58
PGS.	5
RESULT	OK

BEST AVAILABLE COPY